

Issuing Date No data available

Revision Date 08-Nov-2018

Revision Number 4

Japan / English

1. PRODUCT AND COMPANY IDENTIFICATION**Product identifier****Product Name** Diallyl Phthalate - Mineral Filled**Product Code(s)** 20-3330-080**(M)SDS Number** 1340855_J**Other means of identification****Synonyms** No information available**Registration Number(s)** No information available**Recommended use of the chemical and restrictions on use****Recommended Use** Laboratory Use Only**Uses advised against** No information available**Details of the supplier of the safety data sheet****Manufacturer** Buehler**Manufacturer Address** Loop-X 6th Floor 3-9-15
kaigan Minato-ku, Tokoyo 108-0022
www.buehler.com/Japan**Phone number** +81 (0)3 5439 5077**E-mail Address** info.japan@buehler.com**Legal Entity** ITW Japan KK**Legal Entity Address** 1-4-4, Kitasuna, Koto-ku, Tokyo**Emergency telephone number**

Global Access Code: 334545

Asia Pacific: +1 760 476 3960

Middle East/Africa: +1 760 476 3959

Japan: +81 36 8908677

Americas: +1 760 476 3962

Europe: +1 760 476 3961

2. HAZARDS IDENTIFICATION**GHS Classification**

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin sensitization	Category 1

Germ cell mutagenicity	Category 2
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 2
Category 2 Liver.	
Specific target organ toxicity (repeated exposure)	Category 2
Category 2 Liver, Respiratory system, Immune system, Kidneys.	
Acute aquatic toxicity	Category 1

Label elements**Signal word****Danger****Hazard statements**

H302 - Harmful if swallowed

H317 - May cause an allergic skin reaction

H332 - Harmful if inhaled

H350 - May cause cancer

H371 - May cause damage to the following organs: Liver.

H373 - May cause damage to the following organs through prolonged or repeated exposure: Liver, Respiratory system, Immune system, Kidneys.

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Avoid release to the environment

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see supplemental first aid instructions on this label)

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

Rinse mouth

Collect spillage

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical name	Weight-%	ENCS - Japan Existing and New Chemical Substances	ISHL No.	CAS-No
Diallyl phthalate	50 - 60%	(3)-1325	Present	131-17-9
Wollastonite (Ca(SiO ₃))	25 - 50%	(1)-194	Present	13983-17-0
tert-Butyl peroxy-2-ethylhexyl carbonate	0 - 3%	(2)-1729	Present	34443-12-4
Titanium dioxide	0 - 1%	(5)-5225,(1)-558	Present	13463-67-7
Quartz	0 - 1%	(1)-548	Present	14808-60-7

Pollutant Release and Transfer Registry (PRTR)

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed.

Chemical name	Weight-%	Class	Cabinet order number	Relevant substance, conversion factor
Diallyl phthalate 131-17-9	50 - 60%	Class I designated chemical substance	1-352	

Industrial Safety and Health Law

ISHL Notifiable Substances - information (safety data sheet) to be supplied; Industrial Safety and Health Law enforcement order Table 9 (related to Industrial Safety and Health Law article 57-2 and ISHL Ordinance Article 34-2-4)

Chemical name	ISHL Notifiable Substances	Threshold Values (%)
Titanium dioxide 13463-67-7	ISHL Notifiable Substances	0.1
Quartz 14808-60-7	ISHL Notifiable Substances	0.1

Poisonous and Deleterious Substances Control Law Not applicable

4. FIRST AID MEASURES

First aid measures**General advice**

Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.

Inhalation

Remove to fresh air. IF exposed or concerned: Get medical advice/attention. If breathing has stopped, give artificial respiration. Get medical attention immediately. If symptoms persist, call a physician.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.

Skin contact

Wash with soap and water. May cause an allergic skin reaction. Wash off immediately with plenty of water for at least 15 minutes. If symptoms persist, call a physician.

Ingestion

Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get medical attention.

Symptoms

Itching. Rashes. Hives. Coughing and/ or wheezing. Difficulty in breathing.

Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid breathing dust/fume/gas/mist/vapors/spray. Use personal protective equipment as required. See section 8 for more information.
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable Properties	Not flammable.
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	No information available.
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.
Special Extinguishing Media	Cool drums with water spray.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid generation of dust. Do not breathe dust.
Other Information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
Environmental precautions	See Section 12 for additional Ecological Information.
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
Reference to other sections	See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid generation of dust.
--------------------------------	---

Storage

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product. Avoid breathing dust/fume/gas/mist/vapors/spray.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure guidelines

Chemical name	Japan	ISHL Working Environmental Evaluation Standards - Administrative Control Levels	ACGIH TLV
Wollastonite (Ca(SiO ₃)) 13983-17-0	-	-	TWA: 1 mg/m ³ inhalable particulate matter, particulate matter containing no asbestos and <1% crystalline silica
Titanium dioxide 13463-67-7	TWA: 0.3 mg/m ³	-	TWA: 10 mg/m ³
Quartz 14808-60-7	TWA: 0.03 mg/m ³	-	TWA: 0.025 mg/m ³ respirable fraction

Biological occupational exposure limits Not applicable

Engineering controls Showers
Eyewash stations
Ventilation systems.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing.

Hand protection Wear suitable gloves.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Granular
Appearance Blue
Odor Characteristic
Color No information available
Odor Threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks Method</u>
pH	No data available	None known
Melting / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	No data available	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air	No data available	None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known

Relative density	1.7 - 1.8	None known
Water Solubility	Negligible	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Viscosity	No data available	None known
Explosive properties	No information available	
Oxidizing properties	No information available	

Other Information

Softening Point	No information available
Molecular Weight	No information available
VOC Content (%)	Not applicable
Liquid Density	No information available
Bulk Density	No information available
Particle Size	No information available
Particle Size Distribution	No information available

10. STABILITY AND REACTIVITY

Reactivity	No information available.
Stability	Stable under normal conditions.
Explosion Data	
Sensitivity to Mechanical Impact	None
Sensitivity to Static Discharge	None
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Excessive heat.
Incompatible materials	None known based on information supplied.
Hazardous Decomposition Products	None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity**Product Information**

Inhalation	Specific test data for the substance or mixture is not available. Harmful by inhalation. (based on components).
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Harmful if swallowed. (based on components).
Symptoms	Itching. Rashes. Hives. Coughing and/ or wheezing.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	669.10 mg/kg
ATEmix (inhalation-dust/mist)	1.50 mg/L

Unknown acute toxicity

- 49 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 49 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 50 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Numerical measures of toxicity - Component Information

Chemical name	LD50 Oral	LD50 Dermal	Inhalation LC50
Diallyl phthalate 131-17-9	= 656 mg/kg (Rat)	= 3300 mg/kg (Rabbit)	= 5200 mg/m ³ (Rat) 1 h
tert-Butyl peroxy-2-ethylhexyl carbonate 34443-12-4	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Quartz 14808-60-7	= 500 mg/kg (Rat)		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	Contains a known or suspected mutagen. Classification based on data available for ingredients. Suspected of causing genetic defects.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Carcinogenicity	IARC
Wollastonite (Ca(SiO ₃)) 13983-17-0		Group 3
Titanium dioxide 13463-67-7	2	Group 2B
Quartz 14808-60-7	1A	Group 1

Legend:

- IARC (International Agency for Research on Cancer)
- Group 1 - Carcinogenic to Humans
- Group 2B - Possibly Carcinogenic to Humans

STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). May cause damage to organs if swallowed.

STOT - repeated exposure No information available.

Target Organ Effects	Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Lungs. Kidney. Liver. Immune system.
Aspiration hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Percentage for unknown hazards	0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.
Ecotoxicity	Very toxic to aquatic life.
Persistence and Degradability	No information available.
Bioaccumulation	There is no data for this product.
Mobility in soil	No information available.
Mobility	No information available.
Other adverse effects	No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

14. TRANSPORT INFORMATION

<u>IMDG</u> Marine Pollutant	NOT REGULATED Product is a marine pollutant according to the criteria set by IMDG/IMO
<u>ADR</u> Environmental hazard	NOT REGULATED Yes
<u>IATA</u> Proper Shipping Name	NOT REGULATED NON REGULATED
<u>Japan</u> Hazard Class	N/A

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations

Japan**Pollutant Release and Transfer Registry (PRTR)**

See section 3 for more information

Industrial Safety and Health Law**Harmful Substances Whose Names Are to be Indicated on the Label**

Harmful Substances - names to be indicated on the label; Industrial Safety and Health Law enforcement order Table 9 (related to Industrial Safety and Health Law article 57 and ISHL Ordinance Article 33)

ISHL Notifiable Substances

ISHL Notifiable Substances - information (safety data sheet) to be supplied; Industrial Safety and Health Law enforcement order Table 9 (related to Industrial Safety and Health Law article 57-2 and ISHL Ordinance Article 34-2-4)

Fire Service Law:

Verify that requirements related to using, handling, and storing substances subject to prohibition, authorization or restriction are met

Self-reactive materials, group 5, 2nd category, hazard rank II, 100 kg

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc. (CSCL)

Not applicable

Air Pollution Control Law

Hazardous air pollutants (HAPs) per Air Pollution Control Law article 2, paragraph 1, item 3 and Enforcement Order article 1

International Regulations**Ozone-depleting substances (ODS)** Not applicable**Persistent Organic Pollutants** Not applicable**Export Notification requirements** Not applicableInternational Inventories

TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	Contact supplier for inventory compliance status.

Legend**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AICS** - Australian Inventory of Chemical Substances**16. OTHER INFORMATION****Prepared By**

Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Issuing Date	01-Mar-2017
Revision Date	08-Nov-2018
Revision Note	No information available

Key or legend to abbreviations and acronyms used in the safety data sheet**Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	-	Skin designation
C	Carcinogen		

Disclaimer

This SDS complies with the requirements of JIS Z 7250:2010 and JIS Z 7252:2009 (Japan). The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

End of Safety Data Sheet